ELSEVIER

Gene 184 (1997) 307–309

GENE
AN INTERNATIONAL JOURNAL ON GENES AND GENOMES

Author Index Vol. 184 (1997)

Albig, W., Meergans, T. and Doenecke, D.
Characterization of the H1.5 gene completes the set of human H1 subtype genes (184) 141
Alonso, J.C., see Chai, S. (184) 251
Anamnart, S., Tomita, T., Fukui, F., Fujimori, K., Harashima, S., Yamada, Y. and Oshima, Y.
The *P-OLE1* gene of *Pichia angusta* encodes a Δ9-fatty acid desaturase and complements the *ole1* mutation of *Saccharomyces cerevisiae* (184) 299
Angermayr, K., see Haas, H. (184) 33
Asher, J.H., Jr., see Liang, Y. (184) 163
Askew, D.S., see Li, J. (184) 169

Baensch, M., see Hennecke, M. (184) 263
Bagshaw, J.C. and Buckholt, M.A.
A novel satellite/microsatellite combination in the genome of the marine shrimp, *Penaeus vannamei* (184) 211
Bagyan, I., see Shchepetov, M. (184) 133
Baka, I.D., see Ninkina, N.N. (184) 205
Barroso, G., see Gonzalez, P. (184) 55
Bautsch, W., see Hennecke, M. (184) 263
Baybutt, H. and Manson, J.
Characterisation of two promoters for prion protein (PrP) gene expression in neuronal cells (184) 125
Beck, K.-F., see Roder, K. (184) 21
Benovic, J.L., see Gagnon, A.W. (184) 13
Birley, A.J., see Renwick, P.J. (184) 155
Bradbury, A., see Bruno, R. (184) 121
Bruno, R. and Bradbury, A.
A natural longer glycine-rich region in IKe filamentous phage confers no selective advantage (184) 121
Buchman, V.L., see Ninkina, N.N. (184) 205
Buckholt, M.A., see Bagshaw, J.C. (184) 211
Butel, J.S., see Lednicky, J.A. (184) 189

Canaple, L., Decoville, M., Leng, M. and Locker, D.
The *Drosophila DSP1* gene encoding an HMG 1-like protein: genomic organization, evolutionary conservation and expression (184) 285
Casselton, L.A., see Chaure, P.T. (184) 185
Chai, S., Szepan, U. and Alonso, J.C.
Bacillus subtilis bacteriophage SPP1 terminase has a dual activity: it is required for the packaging initiation and represses its own synthesis (184) 251
Champagne, A.-M., Dufresne, C., Viney, L. and Guéride, M.
Cloning, sequencing and expression of the two genes encoding the mitochondrial single-stranded DNA-binding protein in *Xenopus laevis* (184) 65
Chang, C.-C., see Liang, Y. (184) 163
Chaure, P.T., Casselton, L.A. and Connerton, I.F.
Molecular analysis of the isocitrate lyase gene (*acu*-7) of the mushroom *Coprinus cinereus* (184) 185
Chen, H., see Liang, Y. (184) 163
Chinpaisal, C., Lee, C.-H. and Wei, L.-N.
Studies of the mouse Rab geranylgeranyl transferase β subunit: gene structure, expression and regulation (184) 237
Chyu, G., see Shchepetov, M. (184) 133
Connerton, I.F., see Chaure, P.T. (184) 185
Crocquet-Valdes, P., see Yu, X.-J. (184) 149
Cundliffe, E., see Gandecha, A.R. (184) 197
Cutting, S., see Shchepetov, M. (184) 133

Decoville, M., see Canaple, L. (184) 285
Doenecke, D., see Albig, W. (184) 141
Donnenberg, M.S., Lai, L.-C. and Taylor, K.A.
The locus of enterocyte effacement pathogenicity island of enteropathogenic *Escherichia coli* encodes secretion functions and remnants of transposons at its extreme right end (184) 107
Dufresne, C., see Champagne, A.-M. (184) 65

Ehrlich, R., see Strauss, D. (184) 279
Elroy-Stein, O., see Strauss, D. (184) 279

Fletcher, S., see Kay, P.H. (184) 45
Friedman, T.B., see Liang, Y. (184) 163
Fujimori, K., see Anamnart, S. (184) 299
Fukui, F., see Anamnart, S. (184) 299

Gagnon, A.W. and Benovic, J.L.
Identification and chromosomal localization of a processed pseudogene of human GRK6 (184) 13
Gandecha, A.R., Large, S.L. and Cundliffe, E.
Analysis of four tylosin biosynthetic genes from the *tylLM* region of the *Streptomyces fradiae* genome (184) 197
Gonzalez, P., Barroso, G. and Labarère, J.
DNA sequence and secondary structure of the mitochondrial small subunit ribosomal RNA coding region including a group-IC2 intron from the cultivated basidiomycete *Agrocybe aegerita* (184) 55
Goodwin, G.H.
Isolation of cDNAs encoding chicken homologues of the yeast SNF2 and *Drosophila* Brahma proteins (184) 27
Guéride, M., see Champagne, A.-M. (184) 65
Gunnewiek, J.M.T.K., see Nelissen, R.L.H. (184) 273
Gutker, D., see Wery, J. (184) 89

Haas, H., Angermayr, K. and Stöffler, G.
Molecular analysis of a *Penicillium chrysogenum* GATA factor encoding gene (*sreP*) exhibiting significant homology to the *Ustilago maydis urbs1* gene (184) 33
Hamlin, J.L., see Lee, H. (184) 177
Harada, H., see Yang, H. (184) 83
Harashima, S., see Anamnart, S. (184) 299
Harmon, D., see Kay, P.H. (184) 45
Hay-Schmidt, A., see Sharman, A.C. (184) 99
Hennecke, M., Kola, A., Baensch, M., Wrede, A., Klos, A., Bautsch, W. and Köhl, J.
A selection system to study C5a–C5a-receptor interactions: Phage display of a novel C5a anaphylatoxin, Fos-C5a^{Ala27} (184) 263

Holland, P.W.H., see Sharman, A.C. (184) 99
Hultén, M.A., see Renwick, P.J. (184) 155

Isoai, A., see Kawahara, H. (184) 245
Ito, T., see Kito, K. (184) 73

Jacobsen, P.F., see Kay, P.H. (184) 45
Jafar, S., see Lednicky, J.A. (184) 189

Kamada, H., see Yang, H. (184) 83
Kato, H., see Liu, D.-W. (184) 221
Kawahara, H., Isoai, A. and Shizuri, Y.
Molecular cloning of a putative serotonin receptor gene from barnacle, *Balanus amphitrite* (184) 245
Kay, P.H., Harmon, D., Fletcher, S., Ziman, M., Jacobsen, P.F. and Papadimitriou, J.M.
Variation in the methylation profile and structure of *Pax3* and *Pax7* among different mouse strains and during expression (184) 45
Kito, K., Ito, T. and Sakaki, Y.
Fluorescent differential display analysis of gene expression in differentiating neuroblastoma cells (184) 73
Klos, A., see Hennecke, M. (184) 263
Köhl, J., see Hennecke, M. (184) 263
Kola, A., see Hennecke, M. (184) 263
Komeda, Y., see Yang, H. (184) 83

Labarère, J., see Gonzalez, P. (184) 55
La Fontaine, S. and Rood, J.I.
Physical and genetic map of the chromosome of *Dichelobacter nodosus* strain A198 (184) 291
Lai, L.-C., see Donnenberg, M.S. (184) 107
Lambermon, M.H.L., see Nelissen, R.L.H. (184) 273
Large, S.L., see Gandecha, A.R. (184) 197
Larner, J.M., see Lee, H. (184) 177
Lednicky, J.A., Jafar, S., Wong, C. and Butel, J.S.
High-fidelity PCR amplification of infectious copies of the complete simian virus 40 genome from plasmids and virus-infected cell lysates (184) 189
Lee, C.-H., see Chinpaisal, C. (184) 237
Lee, H., Larner, J.M. and Hamlin, J.L.
Cloning and characterization of Chinese hamster *p53* cDNA (184) 177
Leng, M., see Canaple, L. (184) 285
Li, J., Rhodes, J.C. and Askew, D.S.
Evolutionary conservation of putative functional domains in the human homolog of the murine *His-1* gene (184) 169
Liang, Y., Chen, H., Asher, J.H., Jr., Chang, C.-C. and Friedman, T.B.
Human inner ear *OCP2* cDNA maps to 5q22-5q35.2 with related sequences on chromosomes 4p16.2-4p14, 5p13-5q22, 7pter-q22, 10 and 12p13-12qter (184) 163
Liao, L. and Vorce, R.L.
Use of an alternate splice donor site in the human GAP gene is responsible for synthesis of the p100 isoform (184) 39
Liu, D.-W., Kato, H. and Sugane, K.
The nucleotide sequence and predicted secondary structure of small subunit (18S) ribosomal RNA from *Spirometra erinaceieuropaei* (184) 221
Locker, D., see Canaple, L. (184) 285
Loftus, B. and Rogers, M.
Characterization of a prion protein (*PrP*) gene from rabbit; a species with apparent resistance to infection by prions (184) 215

Manson, J., see Baybutt, H. (184) 125
Martínez-Izquierdo, J.A., see Vicient, C.M. (184) 257
Meergans, T., see Albig, W. (184) 141

Nelissen, R.L.H., Gunnewiek, J.M.T.K., Lambermon, M.H.L. and Venrooij, W.J.V.
Cloning and characterization of two processed pseudogenes and the cDNA for the murine U1 snRNP-specific protein C (184) 273
Ninkina, N.N., Baka, I.D. and Buchman, V.L.
Rat and chicken *s-rex/NSP* mRNA: nucleotide sequence of main transcripts and expression of splice variants in rat tissues (184) 205

O'Brien, K., Otto, K. and Rao, R.N.
Construction and characterization of a one-plasmid system for the controlled expression of genes in mammalian cells by tetracycline (184) 115
Oshima, Y., see Anamnart, S. (184) 299
Otto, K., see O'Brien, K. (184) 115

Papadimitriou, J.M., see Kay, P.H. (184) 45
Parmley, S.F., see Yang, S. (184) 1
Poch, O.
Conservation of a putative inhibitory domain in the GAL4 family members (184) 229

Rao, R.N., see O'Brien, K. (184) 115
Renniers, A.C.H.M., see Wery, J. (184) 89
Renwick, P.J., Birley, A.J. and Hultén, M.A.
Study of *Alu* sequences at the hypoxanthine phosphoribosyltransferase (*hprt*) encoding region of man (184) 155
Rhodes, J.C., see Li, J. (184) 169
Roder, K., Wolf, S.S., Beck, K.-F., Sickinger, S. and Schweizer, M.
NF-Y binds to the inverted CCAAT box, an essential element for cAMP-dependent regulation of the rat fatty acid synthase (FAS) gene (184) 21
Rogers, M., see Loftus, B. (184) 215
Rood, J.I., see La Fontaine, S. (184) 291

Saitou, T., see Yang, H. (184) 83
Sakaki, Y., see Kito, K. (184) 73
Schweizer, M., see Roder, K. (184) 21
Sharman, A.C., Hay-Schmidt, A. and Holland, P.W.H.
Cloning and analysis of an HMG gene from the lamprey *Lampetra fluviatilis*: gene duplication in vertebrate evolution (184) 99
Shchepetov, M., Chyu, G., Bagyan, I. and Cutting, S.
Characterization of *csgA*, a new member of the forespore-expressed σ^G-regulon from *Bacillus subtilis* (184) 133
Shizuri, Y., see Kawahara, H. (184) 245
Sickinger, S., see Roder, K. (184) 21
Stöffler, G., see Haas, H. (184) 33
Strauss, D., Elroy-Stein, O. and Ehrlich, R.
Adenovirus *E1a* interferes with expression of vaccinia viral genes (184) 279
Sugane, K., see Liu, D.-W. (184) 221
Szepan, U., see Chai, S. (184) 251

Taylor, K.A., see Donnenberg, M.S. (184) 107
Tomita, T., see Anamnart, S. (184) 299

van Ooyen, A.J.J., see Wery, J. (184) 89
Venrooij, W.J.V., see Nelissen, R.L.H. (184) 273
Verdoes, J.C., see Wery, J. (184) 89
Vicient, C.M. and Martínez-Izquierdo, J.A.
Discovery of a Zdel transposable element in *Zea* species as a consequence of a retrotransposon insertion (184) 257
Viney, L., see Champagne, A.-M. (184) 65
Vorce, R.L., see Liao, L. (184) 39

Walker, D.H., see Yu, X.-J. (184) 149
Wei, L.-N., see Chinpaisal, C. (184) 237

Wery, J., Gutker, D., Renniers, A.C.H.M., Verdoes, J.C. and van Ooyen, A.J.J.
High copy number integration into the ribosomal DNA of the yeast *Phaffia rhodozyma* (184) 89
Wolf, S.S., see Roder, K. (184) 21
Wong, C., see Lednicky, J.A. (184) 189
Wrede, A., see Hennecke, M. (184) 263

Yamada, Y., see Anamnart, S. (184) 299
Yang, H., Saitou, T., Komeda, Y., Harada, H. and Kamada, H.
Arabidopsis thaliana ECP63 encoding a LEA protein is located in chromosome 4 (184) 83
Yang, S. and Parmley, S.F.
Toxoplasma gondii expresses two distinct lactate dehydrogenase homologous genes during its life cycle in intermediate hosts (184) 1
Yu, X.-J., Crocquet-Valdes, P. and Walker, D.H.
Cloning and sequencing of the gene for a 120-kDa immunodominant protein of *Ehrlichia chaffeensis* (184) 149

Ziman, M., see Kay, P.H. (184) 45